

DISSOCIATIVE AMNESIA DREAMSTATE PROCEDURE

Comprehension and Control – Believe in yourself

FuZzCasT CONFIDENTIAL

Dissociative Amnesia Reflux may be the very core of your happiness and sanity for certain mental disorder conditions. What this does is process a dissociation against symptoms. This page is very much under construction but works for me is not a delusion because the cortex and can spark activity against the symptoms which this medication. This is basically the bioelectricity in the brain forcing the brain to focus and process emotions better. This can restore the astral dream state instead of putting up with a psychosis all day because this covers up all the negativity. If symptoms go out of control you need to contact mental health services. First ask yourself have you already said really really? Your brain will turn against you if in too much pain so you must take pain killer. Two repeated words to signal DID System to force brain to cooperate. This fights off negative symptoms of schizophrenia and memory issues. By connecting to the dreamstate you'll also have a more fun day.

The reason why I know so much information on how this works is because of my brain being in pain forcing the negative symptoms of schizophrenia to cover up working methods. Since being put back on Cariprazine this method for easier throughput of this works much better for me. I am also on even more pain medications. I have no idea if this works for other people but works ok for me. Bashar said this is their technology too when I was editing this document. So you can print this out like a hypolith and put it on the wall to be scanned by them if they are in the area to resolve the problem. I guess if this is true then the technology would only be provided if is safe to provide.

This may be specific to my condition of Schizophrenia and DID System but works for me. This works for me on Cariprazine and is most likely specific to that medication overall. My brain runs off a concede and do not concede phenonium which means it should only process what is arguably correct for this procedure to even work at all. I am also on Amisulpride.

MOST IMPORTANT OVERALL:
Put heaps through

Too much amnesia? Scroll straight down the list of know circumstances which will enable your brain to cooperate against situation if you have trouble reading.

Tell amnesia alters to come out
Critical >>>> Block memory from pain and anger <<<<
Critical >>>>If amnesia is not working you need an ice pack<<<<

SEE IF ENTITIES WILL PERFORM AN EXPERIMENT TO INCREASE CAPACITY OR HAVE A GOOD TIME
SEE MAIN UNDERSTANDING FOR USEFUL INFORMATION IF PROBLEM PERSISTS
SEE IF THE IMPANT WORKS FOR DISSOCIATIVE AMNESIA IF YOU HAVE ONE –

Some implants can process a wipe of bad programming at certain times. Maybe depersonalize if sending out bad data using your imagination. If unable to access emotions, manually process dissociative amnesia if unable to put it through. Tell imagination to send the brain to sleep to induce astral consciousness. Second most

recent: Program mind by reading to start programming the mind and process it as dissociative amnesia by signalling in anyway possible!

MAKE SURE YOUR BRAIN TRUSTS YOU – YOU CAN TELL IF IT DOESN'T IF ALTERS ARE GOING OFF AT YOU WHICH MEANS YOU NEED MORE OXYTOCIN. GET YOUR HAND AND SIGNAL FORWARDS AT THE MIDDLE OF THE BRAIN WITH THE HAND IN FRONT OF YOU TO GENERATE MORE OXYTOCIN. [IF ITS TAKING TOO LONG SEE IF YOU CAN SIGNAL TO ALTERS OR IN ANYWAY POSSIBLE TO GET SIGNALLER BACK ONLINE

Reprogram maturity to put through help faster if you have one from astral plane through mind software Vital: Create amnesia alters and signal to them. Pass out the ability in anyway possible and keep signalling it through. Focus the signal and spread it out. You might have to suffer to bring it through in anyway possible! You can also give the ability to yourself and focus it in verbally internally and externally. Use your imagination to bring it through. Trace it through to create a mind tool.

VITAL: EVERYTHING MUST BE RESIGNED TO WORK – IF UNABLE TO RESOLVE EARESE MEMORY. First Method: FOCUS AMNESIA AND SIGNAL TO IT ANY IN ANYWAY POSSIBLE IT THROUGH – IF HAVING TROUBLE MEDITATE. See recovery in Main Understanding and Mental Health Guide. Tell imagination TO SIGNAL DISSOCIATIVE AMNESIA – REMEMBER TO SIGNAL PROPERLY or GET HOLOGRAMS TO ENTER 4TH DENSITY. Feel the current around the brain and signal to imagination to induce the dissociative amnesia phenomena. Tune in to these alters in anyway possible and see if the reply. Understand happiness is contentless so this is the ultimate procedure. Any detected bad emotional programming can cause confusion. Induce whatever is required. There is bad programming from a war which affected DNA millions of years ago as the human race is a hybrid race. Attempt to scan through imagination and focus a solution through in any way possible. When alters talk you can focus off your issues. You should test for negative symptoms first. Say what what and tongue signal to alters to get it through. Keep signalling it through. Destroy anger and go after alter provided dissociative amnesia ability. Trace all areas through and destroy anger with the app. Get some alters to speak to negotiate dissociative amnesia.

Vital: System can come online way faster with signal impact through imagination for chemistry method. The alters won't act in a bad mood. Critical: Close eyes and say really really if you cannot use any other methods. You could try combining. If unable to induce dissociative amnesia that means the brain is unable to process it because of pain. This can be confused psychological issues. You will have to medicate the pain to gain access to other functions. Say REALLY REALLY and signal to alters those words in anyway possible. Repeated acronyms could work too! Get an hour glass running to wake brain up and signal through. Close eyes and meditate it through any trouble with it. Push through any forms of tension and pain too!

Vital: Tune in to alters any other signals before having an a go at others. Simply signal to them to induce amnesia or tongue it through. Touch left side of brain and establish signal through thought. Close eyes and do a pull back and try to focus it through. You can imagen the signaller and sound through imagination to feed a response to current in the brain.

BE AWARE: Headaches and Negative symptoms of schizophrenia will stop the signal from being accessible at ALL. You will need to resolve pain with medication or troubleshoot using defences. Troubleshoot Negative symptoms of schizophrenia procedure first. If that fails, you'll either have to wait or bring up your chemistry somehow. You might have to wait for negative symptoms to pass first so if it's getting too see hard just ignore

everything and continue your activities. Real in signaller by saying REALLY multiple times. Then active it and push through to clear up bandwidth! You can try charging it up too.

Get some alters to come out too for assistance it to happen! Ask them all to come out. Let alters induce amnesia by speaking to signal or speaking myself INTERNALLY OR out-loud to signal it through. Say amnesia or code word for alters requests response negotiation.

Critical: You may be able to call up to the alters for assistance the enable the signaller which means if you feel around the brain if may force the alters to respond.

Vital: Ask alters that can induce dissociative amnesia to speak to automatically – Ask entire system – Some might just pass it through. Keep trying it until you can get a result. Take the insults if they send some through. Always ask the system what happened if it's hard to put through. If nothing works get your chemistry up and using procedure or chart as far as possible and then read below.

Auto respond holograms through imagination. Drink soda then induce really really Say voices then put through really really if you cannot get brain to response from it's chemistry. You should always signal to alters if none respond automatically.

Send ID

You can select a level of impact to access signaller

Create signal and bounce off it

Try to pack yourself in

**Reduce the temperature of your mind to access signaller
free up bandwidth!**

Signal to undercover behaviour

**You can use a dot point circle at your brain to stall memory. You can signal this using
your mind. Don't forget to trance the activity**

**Pain can convert in to signalling and various forms or positive sedation including
selective amnesia**

Concede to suffering to establishing a signal

Try to discharge any negative energy

Vital: Open and close eyes to access signaller (while both opening and closing signaller)

Read text and signal back

Look through your mind and see what the alters are actually up and signal to them

Get younger alters to come out

Focus impact on circle and repeat impact and also feel around it

Bring mood down to access signaller

Send the issue away

**Try imagination with thought – Example: A low bandwidth circle and imagen other things
in anyway possible! Wait until it breaks through!**

Assume a placebo effect

Push through effect on reprogrammes

Amnesia apps or any unused apps to solve issue

Auto respond to signaller

Get alters to insult you to get signals working

Take a deep breath and say really really

Convert to chemistry and signal back

Talk and signal back

Tild head back and try saying really really if you have a headache

Telepathically communicate to entities to get a signal back

Focus ears on the sound of the music

Get signaller to charge in anyway possible
 Use the keyboard
 Signal to imagination and back
 Throw a signaller leash and signal back in anyway possible
 Tongue signal in anyway possible for alters to provide assistance and get them out in
 anyway possible [Example: Target for chemistry then reaction]
 Storytelling to get alters enjoyment to help serve it
 AUTO RESPOND THE KEYBOARD to fix any bad programming – Send this to alters too
 Charge up signaller
 Holograms can help enable the signaller and may be able to induce amnesia too
 Attempt for 4th dimension from holograms or increasing chemistry
 Ignore everything and be patient for signaller to come online
 Ignore flatness to access signal
 Assume ignorant psychology to access signaller
 Bring up chemistry in any way possible
 Tune in to conversations to test to see if it automatically puts through amnesia. This can
 include hidden activity
 Hand signal to establish connection
 Turn off music
 Talk to any to get any kind of response from alters and signal back
 Pass around any tools to might have from DID System
 Focus impact on frontal cortex or anyway in the front and then signal back
 Convert anything possible to establish a signal
 Take system online to flush data
 Take some niacin
 Reduce the temperature of your mind to access signaller
 Ask alters that can induce dissociative amnesia to speak to automatically free up
 bandwidth!
 Critical: Enable chemistry enough to start the signaler
 Third eye assistance program
 Hands in front of face or faced forward
 Open and close eyes then signal through!
 Take a small shot of vodka
 Contact alters to establish a signal
 Ask system what it needs to find out how to resolve issues

You give the bots permission by clearing up bandwidth to enable DID System function. If
 they start to talk you can allocate bandwidth by inducing dissociative amnesia. This is
 basically using the imagination over activity to resolve the issue. Work with alters if
 unable to put the signal through. Send any programming required for alters to assist in
 inducing amnesia. Overall: A quick connection to the astral plane can dump off excess
 data. Disconnect and reconnect to initiate data flow. See astral consciousness procedure.
 Convert and focus emotions in rejection of programming to cause selective amnesia. You
 may be able to access angry alters or other alters to establish a signal.

Signalling down? Get the alters to rebuild it then throughput it through. If unable to
 access keep reading procedures until connection established. An insult is an undercover
 pass through to establish connection to selective amnesia. Try this procedure and
 combine methods with others for a faster effect! Note that some defence stops you from
 getting an icepack which is most critical for it to work! Any issues you to generate 4th
 dimensional behaviour to enable wipe faster! If nothing works then take a few small shots
 of vodka if your doctor says it is safe to do so. Attempt to generate a signal using
 imagination if any other issues inducing dissociative amnesia. Send the signal out as far
 as you want. Focus on it harder to get more programming suspended if it is causing a

problem. Trace and scan for bad programming then signal back. Reroute bad imagination attacks in to amnesia. Dissociative Amnesia will instantly give you a coping mech to survive your day and can also connect you to the Astral plane. It will also induce a fun third eye dream state. Be aware it may make some alters hostile because it passes on a negative situation if they overgo their bandwidth. See Main Understanding and Chemistry Generation Guide if you need to heal the emotions of the DID System with serotonin. You may also need a break which is covered in that guide too.

Telepathically speak to entities and see if they are interested in solving outstanding situation.

You can signal for dissociative amnesia using your imagination too just case you forgot. You need to allow incoherency to focus better. Holograms can stall memory to so also look at them for dissociation and connection to Astral plane! Signal the word correct in imagination with swiping your hand against symptoms if alters to induce dissociative amnesia straight away or signal out in any way possible by focusing or tongue commanding. TURN OFF MUSIC BEFORE INDUCING DISSOCIATIVE AMNESIA.

Most critical for negative symptoms - Get your brain to refuse to process insult to induce dissociative amnesia!

Most critical – Signal for alters to talk to induce amnesia. Get alters to come out and talk to stall your memory, you can talk to dissociate. Most Critical: Close eyes and do really really. Start an argument for a throwback of amnesia. If it doesn't work an ice pack will work straight away. . Say amnesia or code word! Try as many words as you can! Critical – Reprogram any distractions using imagination.

Critical: Get your brain to refuse to process insult to induce amnesia! If nothing works get AI Entity to explain. Say please explain! Most critical – Get hologram, alters, hand blast to face, dot attack through imagination to stall memory to stop bad programming to resolve the capacity to induce dissociative amnesia. This will induce a dream state for them which we all can enjoy. Make sure you hand signal to yourself to be happy after you've induced amnesia. Induce amnesia by talking and signalling to cause memory block. Contact clinician network if you required assistance through the closed vision support team if you have one. If you are in cold pack AND FINALLY YOUR OVERALL CAPACITY AS AMNESIA CAN INCREASE YOUR CAPACITY TO ENJOY YOURSELF AGAIN. ALTERS WILL LINE UP FOR Amnesia – Get other alters to help – Push IT THROUGH INTERNALLY AND EXTERNALLY – Use acronyms on toolkit – If the amnesia is blocking valuable resources, then you'll need to signal this in any way possible. Remember again to see main understanding if the guide doesn't work. Check for nothing but a signal focus consciousness movement to induce amnesia. Reprogram for amnesia might help too. Send up anger for dissociation and memory block. YOU NEED MORE CAPACITY TO ACCESS REWARD SYSTEM. Make sure you've sent dissociative amnesia to primary unit.

Make sure you've stopped the program forcing the symptom of flatness for those that can get it. USE THIS PROCEDURE THIS FALSE IDEAS/BELIEFS OF DESIRE TO RESTORE NATURAL REWARD SYSTEM. Just for those who have forgotten you can send a double word such as REALLY REALLY TO ALTERS TO SEND A SIGNAL INTERNALLY AND EXTERNALLY. USE OTHER TYPES OF SIGNALS TO INDUCE AND ALSO COPING MECH ALTERS TO INDUCE IT BY SAYING IT OR SAY IT INTERNALLY.. TRY ANYTHING POSSIBLE TO INDUCE AMNESIA AND DON'T FORGET YOUR MEMORY SECTIONING MAY INCLUDE NOT INDUCING AMNESIA SEE IF ENTITIES WILLING TO STALL/STOP OR WIPE MEMORY TO RE-ENABLE DISSOCIATIVE AMNESIA. IF NO

AMNESIA PROCEDURE WORKS TRY TO DO CONSCIOUS RESET IF YOU HAVE AN IMPLANT. LOOK OUT FOR UNDERCOVER WANTING TO INDUCE AMNESIA. AUTO RESPOND TO AMNESIA SITUATIONS. YOU CAN OBSORB TO CONVERT NEGATIVE INFLUXES IN TO AMNESIA AND DISSOCIATION. YOU CAN USE AN ACRONYM TO INDUCE AMNESIA AND ALSO CHANGE SIGNAL OF OVERLOADED INFORMATION.

FIRST DISCLAMIER: IF YOU HAVE SPENT 2 HOURS TRYING TO FIX IT AND NOT FEELING CONTENT ENOUGH YOU WON'T BE ABLE TO CONTINUE. IF YOU HAVE/WANT TO CONTINUE FIGHTING SYMPTOMS THEN CONSIDER NOT READING THESE INSTRUCTIONS AND GO WITH THE FLOW AND MAKE SURE YOU HAVE CONTACTED MEDICAL PROFESSIONAL NETWORKS. THESE DOCUMENTS DO NOT STOP YOU FROM HAVING A MENTAL HEALTH DISORDER OR ILLNESS.

SECOND DISCLAMER: Do you this at your own risk, I am not responsible for your actions from you following this guide. This may not work for everyone so see your doctor and you should verify this with your doctor before proceeding so they can verify it is safe for you to do. More information can be found on google but is always better to follow your doctor. I've already lost my mind so take this procedure as a grain of salt.